



**McMAHAN PHARMACY**  
**SERVICES INC.**  
COMPOUNDING EXCELLENCE

Podiatry Compounding Form

P:(800) 635-8825  
F:(855) 899-4147

OFFICE INFORMATION

Physician's Name \_\_\_\_\_ Phone # \_\_\_\_\_  
Address: \_\_\_\_\_ City: \_\_\_\_\_ State \_\_\_\_\_ Zip: \_\_\_\_\_  
NPI# \_\_\_\_\_ DEA# \_\_\_\_\_

PATIENT INFORMATION

Patient Name: \_\_\_\_\_ DOB \_\_\_\_\_ SSN \_\_\_\_\_  
Address: \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
Home #: \_\_\_\_\_ Cell #: \_\_\_\_\_ Email: \_\_\_\_\_

INSURANCE INFORMATION

Prescription Insurance: \_\_\_\_\_ Primary Insured: \_\_\_\_\_  
Bin# \_\_\_\_\_ ID# \_\_\_\_\_ RxGroup# \_\_\_\_\_ PCN# \_\_\_\_\_

Check Box For Applicable Prescription

#### Nail Removal (Non-Surgical)

- Urea 40% Occlusive Ointment
- Urea 40%/Bacitracin 500 U/Gm/Clotrimazole 2%/Ibuprofen 2%/Deoxy-D-Glucose (2) 0.19%

#### Nail Fungus

- Itraconazole 1%/Ibuprofen 2%/DMSO Nail Solution
- Itraconazole 1%/DMSO Topical Solution
- Ketoconazole 2%/Urea 40%/DMSO Nail Suspension
- Itraconazole 1%/Terbinafine HCl 3%/Tea Tree Oil 6.6%/Urea 10%/Biotin 0.6%/DMSO Nail Suspension

#### Fungal Skin Infection

- Ketoconazole 2%/Miconazole 2%/Clotrimazole 1% Topical Cream
- Clotrimazole 2%/Ibuprofen 2%/Tea Tree Oil 1% Topical Cream
- Ketoconazole 2%/Tea Tree Oil 5%/DMSO Topical Solution
- Amphotericin B 3% Topical Lotion

#### Circulation Problems or Raynaud's Phenomenon

- Nifedipine 4% Topical
- Pentoxifylline 5%/Nifedipine 2% Topical
- Pentoxifylline 3%/Nifedipine 3% Topical
- Pentoxifylline 5% Topical
- Nifedipine 16% Topical

#### Diabetic Neuropathy

- Ketamine 10%/Gabapentin 6%/Clonidine 0.2%/Nifedipine 2% Topical
- Nifedipine 10%/Pentoxifylline 5%/Ketamine HCl 10%/Gabapentin 6%/Lidocaine 3%/Prilocaine 3% Topical
- Amitriptyline HCl 2%/Baclofen 2%/Ketamine HCl 5%/Ketoprofen 10%
- Amitriptyline HCl 2%/Baclofen 2%
- Amitriptyline HCl 2%/Ketoprofen 2%/Carbamazepine 2%
- Ketamine HCl 10%/Gabapentin 6%/Tizanidine HCl 0.2%/Nifedipine 2%

#### Heel Spurs

- Ketamine HCl 5%/Gabapentin 10%/Tizanidine HCl 0.2%/Baclofen 2%
- Ketamine HCl 10%/Gabapentin 6%/Tizanidine HCl 0.2%/Nifedipine 2%
- Ketamine HCl 5%/Gabapentin 6%/Amitriptyline HCl 3%/Indomethacin 5%/Tizanidine HCl 0.2%/Lidocaine 2%
- Ketoprofen 10%/Tizanidine HCl 0.2%/Bupivacaine HCl 1%
- Ketoprofen 10%
- Amitriptyline HCl 2%/Baclofen 2%/Ketamine HCl 5%/Ketoprofen 10%
- Ibuprofen 20%

#### Foot Cramps

- Guaifenesin 10% Topical
- Ketoprofen 10%/Cyclobenzaprine HCl 2%
- Magnesium Chloride 10%/Peppermint 1%
- Magnesium Chloride Hexahydrate 10%
- Guaifenesin 10%/Magnesium Sulfate Heptahydrate 10%

#### Gout

- Indomethacin 2%/Tetracaine HCl 2%/Colchicine 0.2% Topical

#### Hyperhidrosis of the Feet (Sweaty Feet)

- Glycopyrrolate 1% Topical Cream
- Glycopyrrolate 0.5% Topical Solution
- Glycopyrrolate 1% Topical Lotion

#### Wounds/Burns Without Infection

- Ketoprofen 2%/Lidocaine 2%/Misoprostol 0.0024%/Phenytoin 2%/Aloe Vera 0.2%
- Aloe Vera/Vitamin E/Allantoin/Glycosaminoglycans
- Allantoin 2%/Vitamin D3 1000 IU/Gm/Aloe Vera 0.5%
- Silver Sulfadiazine 1%
- Collagenase 250 U/Gm I
- Phenytoin 5%/Misoprostol 0.0024%/Arginine HCl 1%
- Phenytoin 5%/Misoprostol 0.0024%/Arginine HCl 1%/Sodium Hyaluronate 0.5%
- Phenytoin 5%/Misoprostol 0.0024% Topical Gel
- Phenytoin 2%/Misoprostol 0.0024%/Lidocaine 2%/Bupivacaine HCl 0.2%/Diphenhydramine HCl 1%/Aloe Vera 0.2% Polyox Bandage
- Ketoprofen 2%/Lidocaine 2%/Misoprostol 0.0024%/Phenytoin 2%/Aloe Vera 0.2% Topical Cream Aloe Vera 0.2%/Arginine HCl 1%/Misoprostol 0.0024%/Naltrexone HCl 1%
- Misoprostol 0.0024%/Phenytoin 2%/Beta Glucan 0.5%
- Arginine HCl 1%/Aloe Vera 0.2%/Misoprostol 0.0024%/Naltrexone HCl 1%/Phenytoin 2%
- Aloe Vera 0.2%/Arginine HCl 1%/Misoprostol 0.0024%/Naltrexone HCl 1%
- Beta Glucan 0.5%/Naltrexone HCl 0.5%

#### Infected Wounds

- Misoprostol 0.0024%/Phenytoin 5%/Metronidazole 2% Topical Gel
- Misoprostol 0.0024%/Phenytoin 5%/Gentamicin 0.2% Topical Gel
- Misoprostol 0.0024%/Mupirocin 2% Anhydrous Topical Spray (CGSil)
- Doxycycline 20 mg/Phenytoin 20 mg/Misoprostol 0.024 mg/Lidocaine HCl 10 mg

#### Plantar Fasciitis

- Ketoprofen 10%/Cyclobenzaprine HCl 1%/Gabapentin 6%/Lidocaine 2%/Prilocaine HCl 2%
- Ibuprofen 20%/Piroxicam 1%/Cyclobenzaprine HCl 1%
- Lidocaine 2%/Diclofenac Sodium 3%/Cyclobenzaprine HCl 2%/Baclofen 2%
- Tramadol HCl 5%/Lidocaine 5%/Cyclobenzaprine HCl 2%/Diclofenac Sodium 5%/Menthol 1%/DMSO 5%
- Ketoprofen 10%/Amitriptyline HCl 1%/Gabapentin 6%/Lidocaine 2%/Prilocaine 2%/Magnesium Chloride 5%  
Ketamine HCl 10%/Diclofenac Sodium 8%/Gabapentin 6%/Bupivacaine HCl 1%/Cyclobenzaprine HCl 2%/Baclofen 2%
- Ketoprofen 10%/Ibuprofen 10%/Lidocaine 5%/Piroxicam 2%/Cyclobenzaprine HCl 2%/Baclofen 2%/Cyclobenzaprine HCl 2%/Tetracaine 2%
- Ketamine HCl 10%/Baclofen 2%/Cyclobenzaprine HCl 2%/Gabapentin 6%/Lidocaine 5%/Ketoprofen 10%/Capsaicin 0.025%/Menthol 0.5%/Camphor 0.5%
- Ketoprofen 10%/Tizanidine HCl 0.2%/Cyclobenzaprine HCl 2%/Lidocaine HCl 2%
- Ketoprofen 20%/Ibuprofen 2%/Ketamine 2%/Clonidine 0.2%/Amitriptyline HCl 2%/Guaifenesin 2%
- Ketoprofen 10%/Guaifenesin 10%/Capsaicin 0.025%/Lidocaine 2%/Amitriptyline HCl 2%
- Ketoprofen 10%/Cyclobenzaprine HCl 2%
- Baclofen 2%/Ketoprofen 10%/Lidocaine 5%/Gabapentin 5%
- Amitriptyline HCl 2%/Ketoprofen 2%/Carbamazepine 2%

#### Burning Foot Syndrome

- Ketamine HCl 5%/Gabapentin 10%/Tizanidine HCl 0.2%/Baclofen 2%
- Ketamine HCl 10%/Gabapentin 6%/Tizanidine HCl 0.2%/Nifedipine 2%
- Ketamine HCl 5%/Gabapentin 6%/Amitriptyline HCl 3%/Indomethacin 5%/Tizanidine HCl 0.2%/Lidocaine 2%  
Ketoprofen 10%/Tizanidine HCl 0.2%/Bupivacaine HCl 1% Topical
- Ketoprofen 10%/Amitriptyline HCl 1%/Gabapentin 6%/Lidocaine 2%/Prilocaine 2% Topical
- Amitriptyline HCl 2%/Baclofen 2%/Ketamine HCl 5%/Ketoprofen 10%
- Amitriptyline HCl 2%/Baclofen 2% Topical
- Ketoprofen 10%/Guaifenesin 10%/Capsaicin 0.025%/Lidocaine 2%/Amitriptyline HCl 2% Topical
- Ketamine 10%/Gabapentin 6%/Clonidine 0.2%/ Nifedipine 2% Topical
- Gabapentin 10%/Clonidine HCl 0.2%/Baclofen 1% Topical Anhydrous
- Ketoprofen 10%/Amitriptyline HCl 1%/Gabapentin 6%/Lidocaine 2%/Prilocaine 2%/Magnesium Chloride 5%

#### Diabetic Toes

- Pentoxifylline 5%/Nifedipine 2%
- Pentoxifylline 3%/Nifedipine 3%
- Nifedipine 4%
- Pentoxifylline 5%
- Nifedipine 16%
- Ketamine 10%/Gabapentin 6%/Clonidine 0.2%/ Nifedipine 2%
- Nifedipine 10%/Pentoxifylline 5%/Ketamine HCl 10%/Gabapentin 6%/Lidocaine 3%/Prilocaine 3%

### Corns/Callouses

- Salicylic Acid 10%/Podophyllum 10%/Trichloroacetic Acid 10% (W/V) Topical Solution
- Salicylic Acid 20%/Menthol 0.1% Topical Cream

### Commonly Requested Formulas for Patients with Rough/Dry Feet

- Urea 20% Topical Gel (CGSil)
- Sodium Hyaluronate 0.5%/Urea 10%/CGSil Topical Gel
- Urea 8% Topical Cream
- Urea 20%/Lactic Acid 5% Topical Cream
- Urea 40%/Lactic Acid 10%/Salicylic Acid 3% Topical Cream
- Salicylic Acid 5%/Urea 20%/Ammonium Lactate 12% Topical Cream

### Warts

- Imiquimod 1%/Acyclovir 2%/Deoxy-D-Glucose 0.2%/EGCg 1%/Aloe Vera 0.2%/Ibuprofen 2% Topical Gel
- Cimetidine 10%/Fluorouracil 5%/Deoxy-D-Glucose 2%/Imiquimod 5% Topical Deoxy-D-Glucose 0.2%/Imiquimod 5%/Tea Tree Oil 2.5%/Cimetidine 10% Topical Cream
- Fluorouracil 5%/Salicylic Acid 15%/Cimetidine 5%/Deoxy-D-Glucose 0.2% Topical
- Salicylic Acid 15%/Cimetidine 5% Topical Occlusaderm
- Cimetidine 10%/Deoxy-D-Glucose 0.2%/Ibuprofen 2%/Lidocaine 5%/Salicylic Acid 15% Topical Occlusaderm
- Imiquimod 5%/Deoxy-D-Glucose 0.2% Topical Gel
- Imiquimod 5%/EGCg 1% Topical Gel
- Salicylic Acid 16.7%/Lactic Acid 16.7%/Trichloroacetic Acid 12%/Flexible Collodion Topical Solution
- Imiquimod 5%/Fluorouracil 5%/Salicylic Acid 30%/Tretinoin 0.1% Topical Gel
- Cimetidine 10%/Fluorouracil 5%/Deoxy-D-Glucose 2%/Salicylic Acid 10%/Imiquimod 5% Topical
- Naltrexone HCl 1%/Deoxy-D-Glucose 0.2%/EGCg 0.2%/Cimetidine 15%/Salicylic Acid 15%/Vitamin A Palmitate 25,000 U/Gm/Zinc Acetate 0.5% Topical Anhydrous Cimetidine 10%/Deoxy-D-Glucose 0.29%/Ibuprofen 2% Topical
- Salicylic Acid 40% Topical Ointment
- Salicylic Acid 16.67% Compound Collodion Topical Solution Dinitrochlorobenzene 0.05% Topical Ointment
- Squaric Acid Dibutyl Ester 0.1% Topical Solution Diphenylcyclopropanone 0.01% Topical Solution Cantharidin Topical Liquid
- Cantharidin Plus Topical Liquid
- Fluorouracil 5%/Salicylic Acid 6% Topical Cream
- Fluorouracil 5%/Salicylic Acid 15%/Cimetidine 5%/Deoxy-D-Glucose 0.2%

### Amputation Pain

- Ketamine HCl 10%/Diclofenac Sodium 8%/Gabapentin 6%/Bupivacaine HCl 1%/Cyclobenzaprine HCl 2%/Baclofen 2%
- Ketoprofen 10%/Ibuprofen 10%/Lidocaine 5%/Piroxicam 2%/Cyclobenzaprine HCl 2% Topical
- Flurbiprofen 10%/Baclofen 2%/Cyclobenzaprine HCl 2%/Tetracaine 2%
- Ketamine HCl 10%/Baclofen 2%/Cyclobenzaprine HCl 2%/Gabapentin 6%/Lidocaine 5%
- Ketoprofen 20%/Ibuprofen 2%/Ketamine 2%/Clonidine 0.2%/Amitriptyline HCl 2%/Guaifenesin 2%
- Ketoprofen 10%/Guaifenesin 10%/Capsaicin 0.025%/Lidocaine 2%/Amitriptyline HCl 2%
- Ketoprofen 10%/Cyclobenzaprine HCl 2%
- Baclofen 2%/Ketoprofen 10%/Lidocaine 5%/Gabapentin 5% Topical
- Ketamine HCl 5%/Gabapentin 10%/Clonidine HCl 0.2%/Baclofen 2% Topical

Ketoprofen 5%/Cyclobenzaprine HCl 0.5%/Lidocaine HCl 5%/Bupivacaine HCl 1% Topical

OTHER

Other: \_\_\_\_\_

20 GM

45 GM

60 GM

120 GM

SIG: Apply 1-2 GRAMS to affected area 4-6 times daily OR

SIG: \_\_\_\_\_

REFILLS:    1       2       3       4       5       prn

PRESCRIBER

SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_

FAX COMPLETED FORM TO (855) 899-4147